APPLICATION FOR PERMIT

TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF NEVADA

Date	e of filing in State Engineer's Office
Reti	rned to applicant for correction
Cor	rected application filed
Map	NOV 1 8 1977
	Datas Hanalli
	The applicant Peter Uccelli
	1# Uccelli Blvd. , of Redwood City
	CA 94064 application for permission to appropriate the public State and Zip Code No.
wate	ers of the State of Nevada, as hereinafter stated. (If applicant is a corporation, give date and place of incorpora-
tion	if a copartnership or association, give names of members.)
1.	The source of the proposed appropriation is. Underground Name of stream, lake or other source.
	Name of stream, lake or other source.
2	The amount of water applied for is
	One second-foot equals 448.83 gals. per min. (a) If stored in reservoir give number of acre-feetacre-feet
3.	
	The water to be used for Irrigation and domestic Irrigation, power, mining, manufacturing, domestic, or other use. If use is for:
4,	•
	(a) Irrigation (state number of acres to be irrigated) 32.0
	(b) Stockwater (state number and kinds of animals to be watered)
	(c) Other use (describe fully under "No. 12, Remarks").
	(d) Power:
	(1) Horsepower developed
	(2) Point of return of water to stream.
5.	The water is to be diverted from its source at the following point: SE ¹ / ₄ of SE ¹ / ₄ , Sec. 11,
	T 21 N, R 35 E, MDB&M at a point that bears N 450 04' W a distance Describe as being within a 40-acre subdivision of public survey, and by course and distance to a section corner. If on unsurveyed land,
	of 565.68 feet from the SE corner of said Sec. 11, T 21 N, R 35 E, it should be stated. MDB&M.
6.	Place of use E½ Sec 11 T21N R35E MDB & M Describe by legal subdivision, if on unsurveyed land it should be so stated.
7.	Use will begin about January 1 and end about December 31, of each year. Day and Month Day and Month
8.	Description of proposed works. (Under the provisions of NRS 535.010 you may be required to submit plans and
	specifications of your diversion or storage works.) Drilled well, pump, motor and
	irrigation system State manner in which water is to be diverted, whether by dam or other works, whether through pipes, ditches, flumes, or other conduits.
	-

11	Estimated time required to con	struct works 3 years
44.	Estimated time required to con	nplete the application to beneficial use 5 years
12.	Remarks: For use other than consumptive use.	irrigation or stock watering, state number and type of units to be served or annual
Apį	olicant Peter Uccell	
		By S/ Lowell D. Emery Lowell D. Emery, SWRS #330
Соп	npared mm/ga	tn/bc P. O. Box 84 Fallon, Nevada 89406
		DENIAL OF STATE ENGINEER
	This is to certify that I have	deny examined the foregoing application, and do hereby frant the same, subject to the
.0110	owing limitations and conditions	
•	Application_denied_o	on the grounds that its granting would tend to impair the
•	value_of_existing_rig	thts.and.be.otherwise.detrimental.to.the.public.interest
	and welfare.	
••••		
•••		
		·
		·
		······································
•••••		
 The	amount of water to be appropr	
The	amount of water to be appropri	riated shall be limited to the amount which can be applied to beneficial use, and
The not t	amount of water to be appropr	riated shall be limited to the amount which can be applied to beneficial use, and cubic feet per second
The not t	amount of water to be appropr	riated shall be limited to the amount which can be applied to beneficial use, and
The not the	amount of water to be appropriate exceed	riated shall be limited to the amount which can be applied to beneficial use, and
The not the Actual Processing the Actual Pro	amount of water to be appropriate exceed	riated shall be limited to the amount which can be applied to beneficial use, and cubic feet per second
The not the Actual Processing Work	amount of water to be appropriate exceed	riated shall be limited to the amount which can be applied to beneficial use, and cubic feet per second n on or before all be filed before onable diligence and be completed on or before
The not the Actuary Processing Pr	amount of water to be appropriate exceed	riated shall be limited to the amount which can be applied to beneficial use, and cubic feet per second n on or before all be filed before onable diligence and be completed on or before
The not the Actuary Processing Pr	amount of water to be appropriate exceed	riated shall be limited to the amount which can be applied to beneficial use, and cubic feet per second on or before all be filed before
The not the Actuary of the Actuary of the Actuary of the App	amount of water to be appropriate exceed	riated shall be limited to the amount which can be applied to beneficial use, and cubic feet per second n on or before all be filed before onable diligence and be completed on or before
The Actu Proc	amount of water to be appropriate exceed	riated shall be limited to the amount which can be applied to beneficial use, and
The not the Actual Process App Process Map	amount of water to be appropriate exceed	riated shall be limited to the amount which can be applied to beneficial use, and cubic feet per second. In on or before
The not the Actuary Process App Process Map Commandation of the Actuary Process App Proces	amount of water to be appropriate exceed	riated shall be limited to the amount which can be applied to beneficial use, and
The not the Actual Process App Process Map Comprose Comprose Process Process App Comprose Comprose Process App Process App Comprose Comprose Comprose Process App Process App Comprose Comprose Comprose App Comprose Compr	amount of water to be appropriate exceed	riated shall be limited to the amount which can be applied to beneficial use, and
The not to the control of the contro	amount of water to be appropriate exceed	riated shall be limited to the amount which can be applied to beneficial use, and cubic feet per second n on or before all be filed before be filed before se shall be made on or before beneficial use shall be filed on or before ial use shall be filed on or before IN TESTIMONY WHEREOF, I WILLIAM J. NEWMA State Engineer of Nevada, have hereunto set my hand and the seal of my office, this 28th day of MARCH A.D. 19 .80.